

Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

For the Project

Increase in Carrying Capacity of Nursing and Allied Health Programs, Lot 1 Rebid

With an Approved Budget for the Contract (ABC) of Forty Five Million Six Hundred Ninety Five Thousand Pesos (₹ 45,695,000.00)

Invitation to Bid No. Goods 2023-050A PhilGEPS Reference No.: 11175259

July 2020 6th Edition

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	6
1. Scope of Bid	6
2. Funding Information	6
3. Bidding Requirements	6
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	6
5. Eligible Bidders	6
6. Origin of Goods	7
7. Subcontracts	7
8. Pre-Bid Conference	7
9. Clarification and Amendment of Bidding Documents	7
10. Documents Comprising the Bid: Eligibility and Technical Components	7
11. Documents Comprising the Bid: Financial Component	7
12. Bid Prices	8
13. Bid and Payment Currencies	8
14. Bid Security	8
15. Sealing and Marking of Bids	8
16. Deadline for Submission of Bids	9
17. Opening and Preliminary Examination of Bids	9
18. Domestic Preference	9
19. Detailed Evaluation and Comparison of Bids	9
20. Post Qualification	10
21. Signing of the Contract	10
Section III. Bid Data Sheet	11
Section IV. General Conditions of Contract	12
1. Scope of Contract	12
2. Advance Payment and Terms of Payment	12
3. Performance Security	12
4. Inspection and Tests	12
5. Warranty	12
6. Liability of the Supplier	13
Section V. Special Conditions of Contract	14
Section VI. Schedule of Requirements	16
Section VII. Technical Specifications	17
Section VIII. Checklist of Technical and Financial Documents	19
Section IX. Bidding Forms	20

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

INVITATION TO BID

For the Project

Increase in Carrying Capacity of Nursing and Allied Health Programs, Lot 1 Rebid

Invitation to Bid No. Goods 2023-050A

1. The Tarlac State University, through General Appropriation Act intends to apply the sum of Forty-Five Million Six Hundred Ninety-Five Thousand Pesos (₱ 45,695,000.00) to payments under the contract for the project: Increase in Carrying Capacity of Nursing and Allied Health Programs, Lot 1 Rebid comprising of the following lots with their corresponding ABCs:

Lot	Description	Qty.	ABC, ₱
No.			
1.	High Fedelity Pediatric Simulator	1	8,500,000.00
2.	Ultra-High Fidelity Maternal and Neonatal Birthing	1	13,000,000.00
	Simulator/ Manikin		
3.	High Fedelity Manikin Maternal-Fetal Birthing	1	13,500,000.00
	Simulator		
4.	Adult Training Manikin/ Geriatric Manikin	4	3,000,000.00
5.	Human Whole-Body Plastinated Specimen	1	7,000,000.00
6.	Advance Patient Training Arm	2	440,000.00
7.	CPR Manikins (Set of 3 Manikins: Adult, Child &	3	255,000.00
	Infant)		
		Total ABC:	45,695,000.00

Bids received in excess of the ABC for shall be automatically rejected at bid opening.

- 2. The Tarlac State University now invites bids for the project **Increase in Carrying Capacity of Nursing and Allied Health Programs, Lot 1 Rebid.** Delivery of the Goods is required within **ninety (90)** calendar days from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 7:00 A.M. to 6:00 P.M:

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

5. A complete set of Bidding Documents may be acquired by interested Bidders from **August 22**, **2024 to September 11**, **2024** from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB in the amount of ₱ **25,000.00**.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Tarlac State University will hold a Pre-Bid Conference on **August 30, 2024 (2:00 P.M.)** at the BAC Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **September 11, 2024 (2:30 P.M.)**.

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **September 11, 2024** at **3:00 P.M.**, at the BAC Conference Room, 3rd Floor, Motorpool and Administration Building, Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below.
- 10. The Summary of the procurement activities is as follows:

Activities	Date and Time	Venue
Pre-Bid Conference	August 30, 2024 (2:00 PM)	BAC Conference Room, 3 rd Floor, Motorpool and Administration Building,
Deadline of Submission of Bids	September 11, 2024 (2:30 PM)	Tarlac State University,

Opening of Bids	September 11, 2024 (3:00 PM)	Romulo Blvd., San Vicente, Tarlac City

- 11. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Ms. Jhenna Micah A. Manankil/ Mr. Joshua Jonathan S. Jacinto BAC Secretariat
Motorpool and Administration Building
Tarlac State University
Romulo Blvd., San Vicente, Tarlac City
Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

(SGD) **ATTY. WILMARK J. RAMOS, DBA**BAC Chairperson – Goods and Services

Section II. Instructions to Bidders

1. Scope of Bid

- 1.1. The Tarlac State University wishes to receive Bids for the project: **Increase in Carrying Capacity of Nursing and Allied Health Programs, Lot 1 Rebid,** with identification number **Invitation to Bid No. Goods 2023-050A.**
- 1.2. The procurement project (referred to herein as "Project") is composed of seven (7) lots the details of which are described in Section VII. Technical Specifications.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of ₱ 45,695,000.00.
- 2.2. The source of funding is the **General Appropriation Act.**

3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to **fifty percent** (50 %) of the Total **ABC**.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five** (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **January 09 2025**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

- 15.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be

digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as one project having several lots that shall be awarded as separate contracts.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a **non-extendible period of five (5) calendar days** from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause			
5.3	For this purpose, contra delivery of similar goods		oject shall be the supply and ect.
7.1	No further instructions.		
12	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than two percent (2 %) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than five percent (5 %) of ABC if bid security is in Surety Bond.		
19.3	The ABC for the lots are	:	
	Lot Number	ABC, ₱	7
	1.	8,500,000.00	
	2.	13,000,000.00	
	3.	13,500,000.00	
	4.	3,000,000.00	
	5.	7,000,000.00	
	6.	440,000.00	
	7.	255,000.00	
20.2	No further requirements		
21.2	No further requirements.		

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV. Technical Specifications** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the

defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and oth trade terms used to describe the obligations of the parties shall have the meaning assigned to them by the current edition of INCOTERMS published by the Internation Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follow
	The delivery terms applicable to this Contract are delivered to Tarlac State Universit Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier the Procuring Entity upon receipt and final acceptance of the Goods at their destination
	Delivery of the Goods shall be made by the Supplier in accordance with the term specified in Section VI. Schedule of Requirements.
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent the damage or deterioration during transit to their final destination, as indicated in the Contract. The packaging shall be sufficient to withstand, without limitation, rough and ling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take in consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in an subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier
	Contract Description Final Destination Gross weight Any special lifting instructions
	Any special handling instructions Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be place on an accessible point of the outer packaging if practical. If not practical the packagin list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DD transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The inspections and tests that will be conducted are: visual and sensory inspection and

4

Section VI. Schedule of Requirements

The delivery date for the Goods covered by the Contract shall be within ninety (90) calendar days upon receipt of the Notice to Proceed.

Section VII. Technical Specifications

Lot No.	Description
1.	HIGH FEDELITY PEDIATRIC SIMULATOR
	 General Specification Height must be not more than 40-50 inches, computerized wireless/tetherless. The internal rechargeable battery provides hours of tetherless operation. Must have preloaded with preprogrammed SLEs and facilitator's guidebook in the Tablet PC.
	• The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.
	• Convertible into Male/female patient including genitalia. Bony landmarks is palpable and realistic joint articulation is present like the neck, shoulder, elbow, hip, and knee and also forearm pronation and supination, common patient positions including Fowler's, supine, and sitting is present. Responsive even during transport.
	• Preprogrammed emotional states. expression of verbal and non-verbal cues like Worried, Anxious, Lethargic, etc can be seen. Can Simulate lifelike facial expressions like anger, pain, ongoing pain, amazement, quizzical, crying, yawning like an active robotics or a machine—especially one programmable by a computer— capable of carrying out a complex series of actions automatically, guided by an external control device embedded within.
	The following features must also be included: Abnormal eye and eyelid movements like cross-eyed and eyelid droop, etc., programmable crying/tears, real-time voice modulation effects and response, automatic jaw movement at the same time with verbal responses, programmed selected intensity level of seizures and other movements.
	 Can be connected to actual mechanical ventilator and ventilation feedback can be used, chests rise is evident during Bag-valve-mask (BVM) ventilation, Chest tube insertion and Needle decompression can be done. Normal and abnormal sounds and real CO2 exhalation can be determined.
	Complete ECG rhythms with customizable beat variations, Independent normal/abnormal heart sounds at aortic, pulmonic, and mitral sites and can be Supported by ECG-derived respiration monitoring. Palpable pulses: bilateral carotid, brachial, radial, femoral, and pedal, blood pressure monitoring using a real Non-invasive Blood Pressure cuff and monitor Bilateral Vascular Access forearm, Intravenous access and continuous infusion can be used. finger-stick glucose test readingscan also done, urinary catheterization with fluid return/output is evident and bowel sounds can be heard in four quadrants, Supported by programmable urinary output.
	 Supported by accurate oral cavity and airway, nasotracheal/ orotracheal intubation, bag-valve-mask ventilation, normal and abnormal upper airway sounds. Realistic surgical trachea permits tracheostomy and cricothyrotomy, and several methods of translaryngeal guided nonsurgical airway access to assist in endotracheal or nasotracheal intubation is also present. Problems in airway like laryngospasm and tongue edema is programmable and also different normal/abnormal breathing patterns,

respiratory rates and inspiratory/expiratory ratios variations including unilateral chest rise and fall.

• Warranty: 2 years on parts and service Preventive Maintenance: twice a year for 5 years. Training 2-3 days.

2. ULTRA HIGH FIDELITY MATERNAL AND NEONATAL BIRTHING SIMULATOR/ MANIKIN,

General Specification

• Internal rechargeable battery provides up to 8-10 hrs. of tetherless operation. Tetherless and Wireless control at distances up to 200-300 ft.

Maternal/ Fetus-Newborn wireless link capability includes touchscreen tablet PC software preloaded touchscreen virtual patient monitor and CTG (Cardiotocography) with complete accessories like Wireless Keyboard and Mouse, HDMI, etc.

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.

Programmable eye movement (bilateral and unilateral), with pupil response, can follow a moving object, can show seizure activity with selectable intensity levels and blinking rate. Able to listen to participants' responses via a wireless headset, record and playback vocal responses in any language.

Airway/Breathing/Neurological/Cardiac Learner can do head tilt/chin lift/jaw thrust, oral or nasal intubation, with programmable difficult airway: like laryngospasm, tongue edema, and pharyngeal swelling.

Visible spontaneous breathing, programmable respiratory rates and inspiratory/expiratory ratios. Selectable respiratory patterns and lung sounds. Real and observable chest rise and fall during assisted ventilation, real-time monitoring, reporting, and logging in ventilation performance can be done at the same time.

- Can be connected to real 4-Lead monitoring electrocardiogram devices and generate palpable pulses after effective compressions. Defibrillation, cardioversion, and pacing using real energy can also done and show virtual 12-lead dynamic **ECG** also Can use real oximeters in monitoring oxygen saturation and real manual or automatic blood pressure cuff in measuring BP. With Bilateral venous access, and bilateral palpable carotid, radial, and brachial pulses are synchronized with heart rate and blood pressure.
- With programmable automatic drug recognition that can be able to detect the type, dose, and rate of medication injected into the arm, either subcutaneous or intramuscular.

OBSTETRICS

Can use real fetal monitoring device supports Leopold's Maneuvers and externa cephalic version, fetal descent and mechanisms of labor can be controlled via computer, also normal, breech, shoulder dystocia, forcep assisted delivery, and C-section can be manipulated. placenta is life-like form and texture (like real human placenta) with detachable fragments and realistic umbilical cord soft to touch like a real baby's cord with visible 2 arteries and 1 vein.

• Software activated self-lubricating realistic birth canal with noticeable cervix, major and minor labia like real human birth canal.

- Palpable anatomical landmarks and skin layers can show intrapartum bleeding, Force sensor reports traction and torsion applied to the fetus in realtime, McRoberts maneuver, suprapubic pressure, Zavanelli, Woods' Screw in shoulder dystocia.
- Episiotomy can be sutured by a learner, can show multi-layer degree episiotomy with vaginal hemorrhage, tears and cervical lacerations, programmable uterine firmness and hemorrhage flow control. Must have a replaceable 4 abdominal cover for learning purposes (Palpation abdominal cover, Contraction abdominal cover, C-section abdominal cover, Postpartum abdominal cover) for comparison purposes.

All the following must also be included:

- Full-term active neonate of appropriate size and weight with programmable heart and respiratory sounds, crying, cyanosis, and body movement. 2-3 umbilical cords, 2-3 precut umbilical cords sample, Placenta, Epidural insert, C-section baby, 2-3 C-section abdominal skins, 2-3 C-Section uterine walls, post-partum hemorrhage perineum. Also with available suture trainers, the Midline, Mediolateral and 4th-degree episiotomy. Artificial blood concentrate, Mineral oil lubricant, Hospital gown, baby head cap, receiving blanket and diaper must be provided.
- Foley catheterization can be done supported by internal fluid bladder with urethra and bowel sounds can be heard. The rectum is with suppository placement sensor.

•Inclusions:

Maternal Birthing Simulator,

Active birthing baby Tablet PC with case, Simulator Control Software with Lifetime License. Vitals Patient Monitor, (9-12) Labor & Delivery Simulation Learning Experience (SLE) Automatic Mode control license, 15-20 Programmable drug recognition syringes with labels. Preprogrammed scenarios, Streaming voice headset, RF communications module. Bluetooth communications module, USB wireless router Mother and baby battery chargers, User guide

Warranty: 2 years on parts and service.

Preventive Maintenance: once a year for 5 years and if needed

Training 2-3 days.

3. HIGH FEDELITY MANIKIN MATERNAL-FETAL BIRTHING SIMULATOR,

General Specifications:

Birthing Simulator no more than 170-180 cm long. No more than 50 kg in weight Fetus must be 40-50 cm long and maximum of 2.5-2.8 kg in weight

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.

- With tablet, Touchscreen with Wireless patient monitor.
- Anatomically realistic upper airway. Must have the following features
 Lungs allow for mechanical positive pressure ventilation support and
 allows ventilation modes (Mechanical ventilator), Lung sounds can be
 independently controlled, Spontaneous chest excursion synchronized
 with ventilation, Lung auscultation either anterior and posterior with
 individual lung control, Airway Management and Ventilation by BagValve-Mask, Articulated Mandible for jaw thrust maneuver, Detects

- right mainstem intubation. Signs and symptoms of Seizures via rhythmic movement of arms and rapid blinking are evident,
- Eyes conditions like Pupil Cataract, Droopy Eyelid, Jaundice, eye bleeding can be programmed. Urinary catheterization with fluid return/output is evident and bowel sounds can be heard in four quadrants, Supported by programmable urinary output.
- Different sounds are available like Heart, bowel and breath sounds, Vocal Sounds and a wireless microphone can provide other sounds. Well-articulated wrists, elbows, hips, knees and ankles.
- IV insertion supported in right arm particularly the cephalic, basilic and antebrachial veins, intraosseous site on anterior tibia and right jugular IV line for infusions. With programmable automatic drug recognition that can be able to detect the type, dose, and rate of medication injected into the arm, either subcutaneous or intramuscular.

Obstetrical:

• Must have 4 Abdominal Cover for birthing including non-gravid abdomen for learning purposes.

Female life-like birth canal and vulva/perinium (like real human birth canal) supports accurate fetal descent and rotation. Can be positioned to lithotomy, sitting etc. an application of suppository can be done. Internal examination can be performed including the cervix, fetal station, effacement and position. Leopold's maneuver can be performed to determine presentation and position of fetus. Placenta must be like a true placenta, intact/fragmented with realistic color/texture/flexibility.

Realistic and palpable uterine contractions detected by palpating the fundus, Rate and duration of contractions can be controlled via software, Trendelenburg position with detection, Left lateral tilt with detection, Vertex and Breech delivery, Application of McRoberts Maneuver with observable pelvic tilt, supported and logged, Suprapubic pressure support and detection with palpable symphysis pubis, Supports Zavanelli maneuver and Woods' Screw Maneuvers with detection delivery of posterior arm for shoulder dystocia.

Fetus:

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints. Fetal heart sounds can be heard, Birthing fetus must have programmable voice sounds like crying and with body movements.

- Good articulation of fetal body neck, shoulders, elbows, hips and knees with lateral neck movement. Fetal size must be appropriate.
- Must have the following Birthing Scenarios: Normal delivery, instrumented vaginal delivery, Breech Delivery Umbilical Cord Prolapse, Eclampsia Depression by narcotic given to mother, Shoulder Dystocia and Haemorrhage due to uterine atony.
- Non-Birthing Scenarios must include the following: Chronic Heart Failure Exacerbation, Acute Respiratory Distress Syndrome, Sepsis with Hypotension, Brain Attack w/ Thrombolytic Therapy, Motor Vehicle Collision with Hypovolemic Shock, etc.
- Inclusion

Maternal Birthing Simulator,

Active birthing baby

Tablet PC with case, Simulator Control Software with Lifetime License. Vitals Patient Monitor, (9-12) Labor & Delivery Simulation Learning

Experience (SLE) Automatic Mode control license, with Programmable drug recognition syringes with labels. Preprogrammed scenarios, Streaming voice headset, Bluetooth communications module, USB wireless router Mother and baby battery chargers, User guide

Warranty: 2 years on parts and service.

Preventive Maintenance: once a year for 5 years or as needed

Training 2-3 days.

4. ADULT TRAINING MANIKIN/ GERIATRIC MANIKIN

- Lightweight approximately 25-30 lbs.
- Full-size adult manikin measures 55-60 in.
- Overall female appearance
- Convertible to male with removable of wig and attachment of male genitals
- The following can be visually inspected:
- Stage 1 Sacral Ulcer
- Dilated and Constricted Pupils
- Reddened Skin Folds
- Normal and Cancerous Mole
- Involves Skills Training of Learners like: Tracheostomy Care, Lavage and Suctioning, Gastrostomy Procedures, Lavage and Gavage, Enema Administration, Female Only. Urinary Catheterization (Female and Uncircumcised), Pap Smears and Douching, Prostate Exam, Stage B, Nasogastric Tube Placement, Internal Fluid Reservoirs

Patient Care Simulation can be performed like:

Bandaging and Wound Dressing, Bed Baths, Clothing Changes. Denture Placement and Removal, Upper and Lower, Ear Canal Irrigation, Otic Drops, and Hearing Aid Placement. Eye Irrigation Finger and Toe Manipulation with Bandaging - Flexible and Individually Molded, Hair Care Washing and Combing. Intramuscular Injection Sites: Arm, Thigh, Buttock Oral and Nasal Hygiene: Lavage, Gavage, and Suctioning. Ostomy Care: Ileostomy and Colostomy Tissue. Maintenance and Appliance Application, Lavage, and Suctioning. Patient Positioning. Patient Transfer Techniques, Pericare The following Realistic Patient Positioning, Flexibility, & Superior Range of Motion can be done:

- Ankle Eversion, Inversion, Dorsiflexion, Plantarflexion
- Elbow Extension, Flexion, Pronation, Supination
- Fingers Abduction, Adduction, Flexion (soft, lifelike material)
- Hip Abduction, Adduction, Rotation, Hyperextension
- Knee Extension, Flexion
- Neck Rotation, Hyperextension, Lateral Flexion
- Shoulder Abduction, Adduction, Rotation, Hyperextension
- Toes Abduction, Adduction, Flexion (soft, lifelike material)
- Trunk Rotation, Hyperextension
- Wrist Flexion, Hyperextension, Radial Flexion, Ulnar Flexion

Warranty: 2 years on parts and service.

Preventive Maintenance: - once a year for 5 years

Training 1-2 days

5. HUMAN WHOLE BODY PLASTINATED SPECIMEN

- Must be a whole body plastinated specimen (either male or female) The specimen must be fully dry and odorless,
- Signs of decomposition like- No oil, water, molds or any leaks present in the specimen.

Can display: Left Half showing superficial muscles and other right half in deep

- muscle dissection. Front and back. Synopsis: Visible Skeletal muscle is an important portion of locomotive system and is also the emphasis of teaching.
- The specimen displays the skeletal muscle of the whole human body and some cutaneous nerves and superficial arteries which remained simultaneously. One side of the Specimen displays superficial layers muscles, and the other side displays deep layer muscles.

By means of the contrast between the two sides, students can deeply understand and grasp the position and relationship of the muscles.

- The following "Terms of reference for plastinated specimens" must be observed:
- Plastinated specimens are preserved using specialized silicone or compound for whole body parts.
- Plastinates should have a life-like natural color, Plastinates should be cleanly
 dissected to reveal specific anatomical parts and not twisted, deformed or
 distorted.
- Plastinates should be completely dry to touch not gluey, sticky or watery.
- Plastinates should be nontoxic and does not possess any allergic reactions to the eyes, nose, skin etc.
- Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers
- Plastinates should be portable, not heavy.
- Plastinates should have 3-dimensional features.
- Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temperature range of 20-30 degrees.

Important Considerations:

- 1. Should replace the plastinated specimen when it does not conform to the conditions above.
- 2. Free aftersales and preventive maintenance service for at least 5 years.
- 3. Provide repair when specimens are damaged.
- 4. Must show an actual demo unit during post qualification.

6. **ADVANCE PATIENT TRAINING ARM**

- There is a Subcutaneous injection sites on the volar forearm and lateral upper arm
- Available Intramuscular injection site on the upper arm
- Includes an Arterial system including the radial and brachial arteries
- The Suture and incision sites on both the upper arm and forearm
- Must have a Hemodialysis site on the forearm.
- Visible Arterial and Venous insert for IV training, venipuncture practice, blood draw exercises, AV anastomosis, and placement of AV grafts. This multi-layer surgical insert includes the skin, subcutaneous tissue, muscle, radial artery, and radial vein
- There must be also an AV fistula insert that simulates a healed fistula for hemodialysis exercises. Multi-layer bicep insert that includes the skin, subcutaneous tissue, and muscle and allows incision practice and suturing exercises. Durable skin that can be pierced in excess of 200 times with a 20- or 22-gauge needle. Realistic tactile feedback for both surgical and arterial and venous stick exercises. Adjustable heart rate and pulse strength simulating a heart rate from 10 BPM to 150 BPM.
- Visible Cephalic (antecubital), Basilic, Radial, and Ulnar veins, as well as the radial and brachial arteries for infusion and blood draw training. Rotating arm allowing dorsal and volar access along the length of the IV training arm.

Varying vessel palpability to simulate collapsed or bulging vessels.

 Easy to replace plug-and-play inserts to allow quick change-out between procedures. Latex-free vessels with improved access for hassle-free replacement.

7. **CPR MANIKINS (SET OF 3 MANIKINS-ADULT, CHILD & INFANT** Features:

- CPR feedback monitor that meets 2015 AHA CPR guidelines.
- Set of 3 only -Adult, Child, and Infant models.
- Realistic looking and performing manikin is more acceptable to both instructors and students for far easier and faster to carry and set up at training sites.
- Patented face/head tilt simulates how an actual victim's head would move if he required CPR and teaches students how to properly open the airway.
- Easily inserted face-shield/lung-bag provides visual chest rise to ensure students receive the most accurate and realistic training.
- The face shield is secured so it won't slip and there's no need for adhesives.
- Manikins are not made with natural rubber latex

Includes:

1 Adult Manikin with CPR monitor

1 Child Manikin with CPR monitor

1 Infant Manikin with CPR monitor

• Adult Face Shield Lung Bags 10 pcs Child Face Shield Lung Bags 10 pcs

• Infant Face Shield Lung Bags 10 pcs

Nylon Carrying case 1 piece

2 Extra Compression Springs (Hard and Soft)

Training Pads, Airway Lubricant, Eye Set, Kneel Mat, Jacket, Pants

Manikin Wipes, USB Cable

Plus a ShockLink with Defibrillator Training Pads for ShockLink ShockLink Remote Control and ShockLink Pouch and User Guide

Warranty: 2 years on parts and service.

Preventive Maintenance: - once a year for 5 years.

Training 1 day.

Note: Bidders must state in the Statement of Compliance either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of **ITB** Clause 4.

Section VIII. Bid Documents Checklist

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

I. TECHNICAL COMPONENT ENVELOPE

II.

	Class "A" Documents
<u>Legal Doo</u>	
	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
<u>Technical</u>	Documents
	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration; and
(e)	Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and
(f)	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable Original Notarized Secretary's Certificate in case of a corporation partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financial	Documents
(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
FINANCI	AL COMPONENT ENVELOPE
(i)	Original of duly signed and accomplished Financial Bid Form; and
(j)	Original of duly signed and accomplished Price Schedule(s).

Section IX. Bidding Forms

TABLE OF CONTENTS

A.	A. Eligibility and Technical Documents			
	b.	Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	27	
	c.	Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	28	
	d.	Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	29	
	e.	Bidder's Compliance to the Technical Specifications	31	
	f.	Omnibus Sworn Statement, which shall be duly notarized	40	
	g.	NFCC Computation	42	
В.	Fina	ancial Documents		
	i.	Financial Bid Form	43	
	i	Schedule of Prices	11	

[Bidder's Letterhead]

ſ.	Date]	
Ι.	Duie	

To: Tarlac State University Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Bidder's Letterhead]

[Date]	I
Date	ı

To: Tarlac State University Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title

Bid-Securing Declaration

Republic of the Philippines City/Municipality Of
XX
Invitation to Bid [Insert reference number]
To: Tarlac State University
I/We, the undersigned, declare that:
1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
 Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and
i) I/we failed to timely file a request for reconsideration or
ii) I/we filed a waiver to avail of said right;
c. I am/we are declared as the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.
IN WITNESS WHEREOF , I/We have hereunto set my/our hand/s this day of [month] [year] at [place of execution].
[Signature] [Name of Bidder's Authorized Representative [Signatory's legal capacity] Affiant

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no
Witness my hand and seal this day of [month] [year].
[Name and Signature of Notary Public]
Serial No. of Commission
Notary Public for until
Roll of Attorneys No
PTR No, [date issued], [place issued]
IBP No, [date issued], [place issued]
Doc. No
Page No
Book No

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Compliance to the Technical Specifications

Lot No.	Description	Bidder's Compliance State "Comply" below if your offer is complying with the specifications, otherwise state "We are offering the same goods with the following specifications [State the complete specifications of the alternative offer]
1.	HIGH FEDELITY PEDIATRIC SIMULATOR	
	 General Specification Height must be not more than 40-50 inches, computerized wireless/tetherless. The internal rechargeable battery provides hours of tetherless operation. Must have preloaded with preprogrammed SLEs and facilitator's guidebook in the Tablet PC. 	
	The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.	
	• Convertible into Male/female patient including genitalia. Bony landmarks is palpable and realistic joint articulation is present like the neck, shoulder, elbow, hip, and knee and also forearm pronation and supination, common patient positions including Fowler's, supine, and sitting is present. Responsive even during transport.	
	 Preprogrammed emotional states. expression of verbal and non-verbal cues like Worried, Anxious, Lethargic, etc can be seen. Can Simulate lifelike facial expressions like anger, pain, ongoing pain, amazement, quizzical, crying, yawning like an active robotics or a machine—especially one programmable by a computer— capable of carrying out a complex series of actions automatically, guided by an external control device embedded within. 	
	The following features must also be included: Abnormal eye and eyelid movements like cross-eyed and eyelid droop, etc., programmable crying/ tears, real-time voice modulation effects and response, automatic jaw movement at the same time with verbal responses, programmed selected intensity level of seizures and other movements.	
	Can be connected to actual mechanical ventilator and ventilation feedback can be used, chests rise is evident	

during Bag-valve-mask (BVM) ventilation, Chest tube insertion and Needle decompression can be done. Normal and abnormal sounds and real CO2 exhalation can be determined.

Complete ECG rhythms with customizable beat variations, Independent normal/abnormal heart sounds at aortic, pulmonic, and mitral sites and can be Supported by ECG-derived respiration monitoring.

Palpable

pulses: bilateral carotid, brachial, radial, femoral, and pedal, blood pressure monitoring using a real Non-invasive Blood Pressure cuff and monitor Bilateral

Vascular Access forearm, Intravenous access and continuous infusion can be used. finger-stick glucose test readingscan also done, urinary catheterization with fluid return/output is evident and bowel sounds can be heard in four quadrants, Supported by programmable urinary output.

- Supported by accurate oral cavity and airway, nasotracheal/ orotracheal intubation, bag-valve-mask ventilation, normal and abnormal upper airway sounds. Realistic surgical trachea permits tracheostomy and cricothyrotomy, and several methods of translaryngeal guided nonsurgical airway access to assist in endotracheal or nasotracheal intubation is also present. Problems in airway like laryngospasm and tongue edema is programmable and also different normal/abnormal breathing patterns, respiratory rates and inspiratory/expiratory ratios variations including unilateral chest rise and fall.
 - Warranty: 2 years on parts and service Preventive Maintenance: twice a year for 5 years. Training 2-3 days.

2. ULTRA HIGH FIDELITY MATERNAL AND NEONATAL BIRTHING SIMULATOR/ MANIKIN,

General Specification

 Internal rechargeable battery provides up to 8-10 hrs. of tetherless operation. Tetherless and Wireless control at distances up to 200-300 ft.

Maternal/ Fetus-Newborn wireless link capability includes touchscreen tablet PC software preloaded touchscreen virtual patient monitor and CTG (Cardiotocography) with complete accessories like Wireless Keyboard and Mouse, HDMI, etc.

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.

Programmable eye movement (bilateral and unilateral), with pupil response, can follow a moving object, can show seizure activity with selectable intensity levels and blinking rate. Able to listen to participants' responses via a wireless headset, record and playback vocal responses in any language.

Airway/Breathing/Neurological/Cardiac Learner can do head tilt/chin lift/jaw thrust, oral or nasal intubation, with programmable

difficult airway: like laryngospasm, tongue edema, and pharyngeal swelling.

Visible spontaneous breathing, programmable respiratory rates and inspiratory/expiratory ratios. Selectable respiratory patterns and lung sounds. Real and observable chest rise and fall during assisted ventilation, real-time monitoring, reporting, and logging in ventilation performance can be done at the same time.

 Can be connected to real 4-Lead monitoring electrocardiogram devices and can generate palpable pulses after effective compressions.

Defibrillation, cardioversion, and pacing using real energy can also done and can show also virtual 12-lead dynamic ECG rhythms.

Can use real oximeters in monitoring oxygen saturation and real manual or automatic blood pressure cuff in measuring BP. With Bilateral venous access, and bilateral palpable carotid, radial, and brachial pulses are synchronized with heart rate and blood pressure.

• With programmable automatic drug recognition that can be able to detect the type, dose, and rate of medication injected into the arm, either subcutaneous or intramuscular.

OBSTETRICS

Can use real fetal monitoring device supports Leopold' Maneuvers and external cephalic version, fetal descent and mechanisms of labor can be controlled via computer, also normal breech, shoulder dystocia, forcep assisted delivery, and C-section can be manipulated. placenta is life-like form and texture (like real human placenta) with detachable fragments and realistic umbilical cord soft to touch like a real baby's cord with visible arteries and 1 vein.

- Software activated self-lubricating realistic birth canal with noticeable cervix, major and minor labia like real human birth canal.
- Palpable anatomical landmarks and skin layers can show intrapartum bleeding, Force sensor reports traction and torsion applied to the fetus in real-time, McRoberts maneuver, suprapubic pressure, Zavanelli, Woods' Screw in shoulder dystocia.
- Episiotomy can be sutured by a learner, can show multi-layer degree episiotomy with vaginal hemorrhage, tears and cervical lacerations, programmable uterine firmness and hemorrhage flow control. Must have a replaceable 4 abdominal cover for learning purposes (Palpation abdominal cover, Contraction abdominal cover, C-section abdominal cover, Postpartum abdominal cover) for comparison purposes.

All the following must also be included:

• Full-term active neonate of appropriate size and weight with programmable heart and respiratory sounds, crying, cyanosis, and body movement. 2-3 umbilical cords, 2-3 precut umbilical cords sample, Placenta, Epidural insert, C-section baby, 2-3 C-

section abdominal skins, 2-3 C-Section uterine walls, postpartum hemorrhage perineum. Also with available suture trainers, the Midline, Mediolateral and 4th-degree episiotomy. Artificial blood concentrate, Mineral oil lubricant, Hospital gown, baby head cap, receiving blanket and diaper must be provided.

• Foley catheterization can be done supported by internal fluid bladder with urethra and bowel sounds can be heard. The rectum is with suppository placement sensor.

•Inclusions:

Maternal Birthing Simulator,

Active birthing baby Tablet PC with case, Simulator Control Software with Lifetime License. Vitals Patient Monitor, (9-12) Labor & Delivery Simulation Learning Experience (SLE) Automatic Mode control license, 15-20 Programmable drug recognition syringes with labels. Preprogrammed scenarios, Streaming voice headset, RF communications module. Bluetooth communications module, USB wireless router Mother and baby battery chargers, User guide

Warranty: 2 years on parts and service. **Preventive Maintenance:** once a year for 5 years and if needed Training 2-3 days.

3. HIGH FEDELITY MANIKIN MATERNAL-FETAL BIRTHING SIMULATOR,

General Specifications:

Birthing Simulator no more than 170-180 cm long. No more than 50 kg in weight

Fetus must be 40-50 cm long and maximum of 2.5-2.8 kg in weight

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.

- With tablet, Touchscreen with Wireless patient monitor.
- Anatomically realistic upper airway. Must have the following features Lungs allow for mechanical positive pressure ventilation support and allows ventilation modes (Mechanical ventilator), Lung sounds can be independently controlled, Spontaneous chest excursion synchronized with ventilation, Lung auscultation either anterior and posterior with individual lung control, Airway Management and Ventilation by Bag-Valve-Mask, Articulated Mandible for jaw thrust maneuver, Detects right mainstem intubation. Signs and symptoms of Seizures via rhythmic movement of arms and rapid blinking are evident,
- Eyes conditions like Pupil Cataract, Droopy Eyelid, Jaundice, eye bleeding can be programmed. Urinary catheterization with fluid return/output is evident and bowel sounds can be heard in four quadrants, Supported by programmable urinary output.
- Different sounds are available like Heart, bowel and breath sounds, Vocal Sounds and a wireless microphone can provide other sounds. Well-articulated wrists, elbows, hips, knees and ankles.

• IV insertion supported in right arm particularly the cephalic, basilic and antebrachial veins, intraosseous site on anterior tibia and right jugular IV line for infusions. With programmable automatic drug recognition that can be able to detect the type, dose, and rate of medication injected into the arm, either subcutaneous or intramuscular.

Obstetrical:

 Must have 4 Abdominal Cover for birthing including nongravid abdomen for learning purposes.

Female life-like birth canal and vulva/perinium (like real human birth canal) supports accurate fetal descent and rotation. Can be positioned to lithotomy, sitting etc. an application of suppository can be done. Internal examination can be performed including the cervix, fetal station, effacement and position. Leopold's maneuver can be performed to determine presentation and position of fetus. Placenta must be like a true placenta, intact/fragmented with realistic color/texture/flexibility.

Realistic and palpable uterine contractions detected by palpating the fundus, Rate and duration of contractions can be controlled via software, Trendelenburg position with detection, Left lateral tilt with detection, Vertex and Breech delivery, Application of McRoberts Maneuver with observable pelvic tilt, supported and logged, Suprapubic pressure support and detection with palpable symphysis pubis, Supports Zavanelli maneuver and Woods' Screw Maneuvers with detection delivery of posterior arm for shoulder dystocia.

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints. Fetal heart sounds can be heard, Birthing fetus must have programmable voice sounds like crying and with body movements.

- Good articulation of fetal body neck, shoulders, elbows, hips and knees with lateral neck movement. Fetal size must be appropriate.
- Must have the following Birthing Scenarios: Normal delivery, instrumented vaginal delivery, Breech Delivery Umbilical Cord Prolapse, Eclampsia Depression by narcotic given to mother, Shoulder Dystocia and Haemorrhage due to uterine atony.
- Non-Birthing Scenarios must include the following: Chronic Heart Failure Exacerbation, Acute Respiratory Distress Syndrome, Sepsis with Hypotension, Brain Attack w/ Thrombolytic Therapy, Motor Vehicle Collision with Hypovolemic Shock, etc.
- Inclusion
 Maternal Birthing Simulator,
 Active birthing baby
 Tablet PC with case, Simulator Control Software with Lifetime License.
 Vitals Patient Monitor,
 (9-12) Labor & Delivery Simulation Learning Experience
 (SLE) Automatic Mode control license, with Programmable drug recognition syringes with labels. Preprogrammed

scenarios, Streaming voice headset, Bluetooth communications module, USB wireless router Mother and baby battery chargers, User guide

Warranty: 2 years on parts and service.

Preventive Maintenance: once a year for 5 years or as needed Training 2-3 days.

4. ADULT TRAINING MANIKIN/ GERIATRIC MANIKIN

- Lightweight approximately 25-30 lbs.
- Full-size adult manikin measures 55-60 in.
- Overall female appearance
- Convertible to male with removable of wig and attachment of male genitals
- The following can be visually inspected:
- Stage 1 Sacral Ulcer
- Dilated and Constricted Pupils
- Reddened Skin Folds
- Normal and Cancerous Mole
- Involves Skills Training of Learners like: Tracheostomy Care, Lavage and Suctioning, Gastrostomy Procedures, Lavage and Gavage, Enema Administration, Female Only. Urinary Catheterization (Female and Uncircumcised), Pap Smears and Douching, Prostate Exam, Stage B, Nasogastric Tube Placement, Internal Fluid Reservoirs

Patient Care Simulation can be performed like:

Bandaging and Wound Dressing, Bed Baths, Clothing Changes. Denture Placement and Removal, Upper and Lower, Ear Canal Irrigation, Otic Drops, and Hearing Aid Placement. Eye Irrigation Finger and Toe Manipulation with Bandaging - Flexible and Individually Molded, Hair Care Washing and Combing. Intramuscular Injection Sites: Arm, Thigh, Buttock Oral and Nasal Hygiene: Lavage, Gavage, and Suctioning. Ostomy Care: Ileostomy and Colostomy Tissue. Maintenance and Appliance Application, Lavage, and Suctioning. Patient Positioning. Patient Transfer Techniques, Pericare The following Realistic Patient Positioning, Flexibility, & Superior Range of Motion can be done:

- Ankle Eversion, Inversion, Dorsiflexion, Plantarflexion
- Elbow Extension, Flexion, Pronation, Supination
- Fingers Abduction, Adduction, Flexion (soft, lifelike material)
- Hip Abduction, Adduction, Rotation, Hyperextension
- Knee Extension, Flexion
- Neck Rotation, Hyperextension, Lateral Flexion
- Shoulder Abduction, Adduction, Rotation, Hyperextension
- Toes Abduction, Adduction, Flexion (soft, lifelike material)
- Trunk Rotation, Hyperextension
- Wrist Flexion, Hyperextension, Radial Flexion, Ulnar Flexion

Warranty: 2 years on parts and service.

Preventive Maintenance: - once a year for 5 years

Training 1-2 days

5. HUMAN WHOLE BODY PLASTINATED SPECIMEN

 Must be a whole body plastinated specimen (either male or female)

The specimen must be fully dry and odorless,

- Signs of decomposition like- No oil, water, molds or any leaks present in the specimen. Can display: Left Half showing superficial muscles and other right half in deep muscle dissection. Front and back. Synopsis: Visible Skeletal muscle is an important portion of locomotive system and is also the emphasis of teaching.
- The specimen displays the skeletal muscle of the whole human body and some cutaneous nerves and superficial arteries which remained simultaneously. One side of the Specimen displays superficial layers muscles, and the other side displays deep layer muscles.

By means of the contrast between the two sides, students can deeply understand and grasp the position and relationship of the muscles.

- The following "Terms of reference for plastinated specimens" must be observed:
- Plastinated specimens are preserved using specialized silicone or compound for whole body parts.
- Plastinates should have a life-like natural color, Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted.
- Plastinates should be completely dry to touch not gluey, sticky or watery.
- Plastinates should be nontoxic and does not possess any allergic reactions to the eyes, nose, skin etc.
- Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers
- Plastinates should be portable, not heavy.
- Plastinates should have 3-dimensional features.
- Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temperature range of 20-30 degrees.

Important Considerations:

- 5. Should replace the plastinated specimen when it does not conform to the conditions above.
- 6. Free aftersales and preventive maintenance service for at least 5 years.
- 7. Provide repair when specimens are damaged.

Must show an actual demo unit during post qualification.

6. **ADVANCE PATIENT TRAINING ARM**

- There is a Subcutaneous injection sites on the volar forearm and lateral upper arm
- Available Intramuscular injection site on the upper arm
- Includes an Arterial system including the radial and brachial arteries
- The Suture and incision sites on both the upper arm and forearm
- Must have a Hemodialysis site on the forearm.
- Visible Arterial and Venous insert for IV training, venipuncture practice, blood draw exercises, AV anastomosis, and placement of AV grafts. This multi-layer surgical insert includes the skin, subcutaneous tissue, muscle, radial artery, and radial vein
- There must be also an AV fistula insert that simulates a healed fistula for hemodialysis exercises. Multi-layer bicep

insert that includes the skin, subcutaneous tissue, and muscle and allows incision practice and suturing exercises. Durable skin that can be pierced in excess of 200 times with a 20- or 22-gauge needle. Realistic tactile feedback for both surgical and arterial and venous stick exercises. Adjustable heart rate and pulse strength simulating a heart rate from 10 BPM to 150 BPM.

• Visible Cephalic (antecubital), Basilic, Radial, and Ulnar veins, as well as the radial and brachial arteries for infusion and blood draw training. Rotating arm allowing dorsal and volar access along the length of the IV training arm.

Varying vessel palpability to simulate collapsed or bulging vessels.

Easy to replace plug-and-play inserts to allow quick change-out between procedures. Latex-free vessels with improved access for hassle-free replacement.

7. CPR MANIKINS (SET OF 3 MANIKINS-ADULT, CHILD & INFANT

Features:

- CPR feedback monitor that meets 2015 AHA CPR guidelines.
- Set of 3 only -Adult, Child, and Infant models.
- Realistic looking and performing manikin is more acceptable to both instructors and students for far easier and faster to carry and set up at training sites.
- Patented face/head tilt simulates how an actual victim's head would move if he required CPR and teaches students how to properly open the airway.
- Easily inserted face-shield/lung-bag provides visual chest rise to ensure students receive the most accurate and realistic training.
- The face shield is secured so it won't slip and there's no need for adhesives.
- Manikins are not made with natural rubber latex

Includes:

1 Adult Manikin with CPR monitor

1 Child Manikin with CPR monitor

1 Infant Manikin with CPR monitor

- Adult Face Shield Lung Bags 10 pcs
 Child Face Shield Lung Bags 10 pcs
- Infant Face Shield Lung Bags 10 pcs

Nylon Carrying case 1 piece

2 Extra Compression Springs (Hard and Soft)

Training Pads, Airway Lubricant, Eye Set, Kneel Mat, Jacket, Par Manikin Wipes, USB Cable

Plus a ShockLink with Defibrillator Training Pads for ShockLink ShockLink Remote Control and ShockLink Pouch and User Guid

Warranty: 2 years on parts and service.

Preventive Maintenance: - once a year for 5 years.

Training 1 day.

Attached herewith are the manufacturer's product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF)	S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. Select one, delete the other:

- a. If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
- b. If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

- a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of

the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a. Carefully examine all of the Bidding Documents;
 - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

amended, or the Revised Penal Co	ode.
IN WITNESS WHEREOF, I have he Philippines.	reunto set my hand this day of, 20 at,
	Bidder's Representative/Authorized Signatory
execution], Philippines. Affiant/s is/are p competent evidence of identity as define SC). Affiant/s exhibited to me his/her [in	to before me this day of [month] [year] at [place of ersonally known to me and was/were identified by me through ed in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-asert type of government identification card used], with his/her eon, with no and his/her Community Tax Certificate day of [month] [year].
Doc. No	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Page No	

Book No. _____ Series of _____

[Date]

To: Tarlac State University Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

		Year [YEAR]
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = $[(current \ asset \ minus \ current \ liabilities) \ (\underline{15})]$ minus $[value \ of \ all \ outstanding \ or \ uncompleted \ portions \ of \ the \ projects \ under \ ongoing \ contracts \ including \ awarded \ contracts \ yet \ to \ be \ started \ coinciding \ with \ the \ contract \ to \ be \ bid].$

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Date]

FINANCIAL BID FORM

To: Tarlac State University Re: Invitation to Bid No.

Having examined the Bidding Documents [insert if any or delete, if none: including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged], we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

If our Bid is accepted, we commit to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in ITB Clause 14.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of [Bidder], has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the [Name of Project] of the Tarlac State University] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the [Bidder], to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for [Name of Project] of the Tarlac State University.

We acknowledge that failure to sign each and every page of this Financial Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this	day of	20
[signatur		[in the capacity of]
Duly authorized to sig	gn Bid for and on behalf of	

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
1.	HIGH FEDELITY PEDIATRIC SIMULATOR	1	pc		
	General Specification • Height must be not more than 40-50 inches, computerized wireless/tetherless. The internal rechargeable battery provides hours of tetherless operation. Must have preloaded with preprogrammed SLEs and facilitator's guidebook in the Tablet PC.				
	The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints.				
	• Convertible into Male/female patient including genitalia. Bony landmarks is palpable and realistic joint articulation is present like the neck, shoulder, elbow, hip, and knee and also forearm pronation and supination, common patient positions including Fowler's, supine, and sitting is present. Responsive even during transport.				
	• Preprogrammed emotional states. expression of verbal and non-verbal cues like Worried, Anxious, Lethargic, etc can be seen. Can Simulate lifelike facial expressions like anger, pain, ongoing pain, amazement, quizzical, crying, yawning like an active robotics or a machine—especially one programmable by a computer— capable of carrying out a complex series of actions automatically, guided by an external control device embedded within.				
	The following features must also be included: Abnormal eye and eyelid movements like cross-eyed and eyelid droop, etc., programmable crying/ tears,				

real-time voice modulation effects and response, automatic jaw movement at the same time with verbal responses, programmed selected intensity level of seizures and other movements.

 Can be connected to actual mechanical ventilator and ventilation feedback can be used, chests rise is evident during Bagvalve-mask (BVM) ventilation, Chest tube insertion and Needle decompression can be done. Normal and abnormal sounds and real CO2 exhalation can be determined.

Complete ECG rhythms with customizable beat variations, Independent normal/abnormal heart sounds at aortic, pulmonic, and mitral sites and can be Supported by ECG-derived respiration monitoring.

Palpable pulses: bilateral carotid, brachial, radial, femoral, and pedal, blood pressure monitoring using a real Non-invasive Blood Pressure cuff monitor and Bilateral Vascular Access forearm, Intravenous access and continuous infusion can be used. finger-stick glucose test readingscan also done, urinary catheterization with fluid return/output is evident and bowel sounds can be heard in quadrants, Supported programmable urinary output.

- Supported by accurate oral cavity and airway, nasotracheal/ orotracheal intubation, bag-valveventilation, normal abnormal upper airway sounds. Realistic surgical trachea permits tracheostomy and cricothyrotomy, and several methods translaryngeal guided nonsurgical access airway to assist endotracheal or nasotracheal intubation is also present. Problems in airway like laryngospasm and tongue edema is programmable and also different normal/abnormal breathing patterns, respiratory rates and inspiratory/expiratory ratios variations including unilateral chest rise and fall.
 - Warranty: 2 years on parts and service

Preventive Maintenance: twice a year for 5 years. Training 2-3 days.	
Total Bid Price for Lot No. 1	

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
	ULTRA HIGH FIDELITY MATERNAL AND NEONATAL BIRTHING SIMULATOR/ MANIKIN, General Specification • Internal rechargeable battery provides up to 8-10 hrs. of tetherless operation. Tetherless and Wireless control at distances up to 200-300 ft. Maternal/ Fetus-Newborn wireless link capability includes touchscreen tablet PC software preloaded touchscreen virtual patient monitor and CTG (Cardiotocography) with complete accessories like Wireless Keyboard and Mouse, HDMI, etc. The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints. Programmable eye movement (bilateral and unilateral), with pupil response, can follow a moving object, can show seizure activity with selectable intensity levels and blinking rate. Able to listen to participants' responses via a wireless headset, record and playback vocal responses in any language. Airway/Breathing/Neurological/Cardiac Learner can do head tilt/chin lift/jaw thrust, oral or nasal intubation, with programmable difficult airway: like laryngospasm, tongue edema, and pharyngeal swelling. Visible spontaneous breathing, programmable respiratory rates and	1	Unit pc	Unit Price	Total Price
	1				

- Can be connected to real 4-Lead monitoring electrocardiogram devices and can generate palpable pulses after effective compressions.
 Defibrillation, cardioversion, and pacing using real energy can also done and can show also virtual 12-lead dynamic ECG rhythms.
 - Can use real oximeters in monitoring oxygen saturation and real manual or automatic blood pressure cuff in measuring BP. With Bilateral venous access, and bilateral palpable carotid, radial, and brachial pulses are synchronized with heart rate and blood pressure.
- With programmable automatic drug recognition that can be able to detect the type, dose, and rate of medication injected into the arm, either subcutaneous or intramuscular.

OBSTETRICS

Can use real fetal monitoring devic supports Leopold's Maneuvers external cephalic version, fetal descen and mechanisms of labor can be controlled via computer, also normal, breech shoulder dystocia, forcep assiste C-section and delivery. can h manipulated. placenta is life-like form an texture (like real human placenta) with detachable fragments and realisti umbilical cord soft to touch like a rea baby's cord with visible 2 arteries and vein.

- Software activated self-lubricating realistic birth canal with noticeable cervix, major and minor labia like real human birth canal.
- Palpable anatomical landmarks and skin layers can show intrapartum bleeding, Force sensor reports traction and torsion applied to the fetus in real-time, McRoberts maneuver, suprapubic pressure, Zavanelli, Woods' Screw in shoulder dystocia.
- Episiotomy can be sutured by a learner, can show multi-layer degree episiotomy with vaginal hemorrhage, tears and cervical lacerations, programmable uterine firmness and hemorrhage flow control. Must have a replaceable 4 abdominal cover for learning purposes (Palpation abdominal cover, Contraction

• Full-term active neonate of appropriate		
included:		
size and weight with programmable		
heart and respiratory sounds, crying,		
cyanosis, and body movement. 2-3 umbilical cords, 2-3 precut umbilical		
cords sample, Placenta, Epidural insert,		
C-section baby, 2-3 C-section		
abdominal skins, 2-3 C-Section uterine walls, post-partum hemorrhage		
perineum. Also with available suture		
trainers, the Midline, Mediolateral and		
4th-degree episiotomy. Artificial blood concentrate, Mineral oil lubricant,		
Hospital gown, baby head cap, receiving		
blanket and diaper must be provided.		
• Foley catheterization can be done		
supported by internal fluid bladder with		
urethra and bowel sounds can be heard.		
The rectum is with suppository placement sensor.		
p.meemen senson		
•Inclusions:		
Maternal Birthing Simulator, Active birthing baby Tablet PC with		
case, Simulator Control Software with		
Lifetime License. Vitals Patient		
Monitor, (9-12) Labor & Delivery Simulation Learning Experience (SLE)		
Automatic Mode control license, 15-20		
Programmable drug recognition		
syringes with labels. Preprogrammed scenarios, Streaming voice headset, RF		
communications module. Bluetooth		
communications module, USB wireless		
router Mother and baby battery		
chargers, User guide		
Warranty: 2 years on parts and service.		
Preventive Maintenance: once a year for 5 years and if needed		
Training 2-3 days.		
	ce for Lot No. 2	

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
	HIGH FEDELITY MANIKIN MATERNAL-FETAL BIRTHING SIMULATOR, General Specifications: Birthing Simulator no more than 170-180 cm long. No more than 50 kg in weight Fetus must be 40-50 cm long and maximum of 2.5-2.8 kg in weight The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints. • With tablet, Touchscreen with Wireless patient monitor. • Anatomically realistic upper airway. Must have the following features Lungs allow for mechanical positive pressure ventilation support and allows ventilation modes (Mechanical ventilator), Lung sounds can be independently controlled, Spontaneous chest excursion synchronized with ventilation, Lung auscultation either anterior and posterior with individual lung control, Airway Management and Ventilation by Bag-Valve-Mask,	Qty.	Unit pc	Unit Price	Total Price
	Articulated Mandible for jaw thrust maneuver, Detects right mainstem intubation. Signs and symptoms of Seizures via rhythmic movement of arms and rapid blinking are evident, • Eyes conditions like Pupil Cataract, Droopy Eyelid, Jaundice, eye bleeding can be programmed. Urinary catheterization with fluid return/output is evident and bowel sounds can be heard in four quadrants, Supported by programmable urinary output.				
	Different sounds are available like Heart, bowel and breath sounds, Vocal				

Sounds and a wireless microphone can provide other sounds. Well-articulated wrists, elbows, hips, knees and ankles.

• IV insertion supported in right arm particularly the cephalic, basilic and antebrachial veins, intraosseous site on anterior tibia and right jugular IV line for infusions. With programmable automatic drug recognition that can be able to detect the type, dose, and rate of medication injected into the arm, either subcutaneous or intramuscular.

Obstetrical:

• Must have 4 Abdominal Cover for birthing including non-gravid abdomen for learning purposes.

Female life-like birth canal and vulva/perinium (like real human birth canal) supports accurate fetal descent and rotation. Can be positioned to lithotomy, sitting etc. an application of suppository can be done. Internal examination can be performed including the cervix, fetal station, effacement and position. Leopold's maneuver can be performed to determine presentation and position of fetus. Placenta must be like a true placenta, intact/fragmented with realistic color/texture/flexibility.

Realistic and palpable uterine contractions detected by palpating the Rate and duration fundus, contractions can be controlled via software, Trendelenburg position with detection, Left lateral tilt with detection, Vertex and Breech delivery, Application McRoberts Maneuver observable pelvic tilt, supported and logged, Suprapubic pressure support and detection with palpable symphysis pubis, Supports Zavanelli maneuver and Screw Woods' Maneuvers with detection delivery of posterior arm for shoulder dystocia.

Fetus:

The skin is smooth and supple full body like human skin made of Silicon with seamless trunk and limb joints. Fetal heart sounds can be heard, Birthing fetus must have programmable voice sounds like crying and with body movements.

 Good articulation of fetal body neck, shoulders, elbows, hips and knees with lateral neck movement. Fetal size must be appropriate.

	T T	T
Must have the following Birthing Scenarios: Normal delivery, instrumented vaginal delivery, Breech Delivery Umbilical Cord Prolapse, Eclampsia Depression by narcotic given to mother, Shoulder Dystocia and Haemorrhage due to uterine atony.		
Non-Birthing Scenarios must include the following: Chronic Heart Failure Exacerbation, Acute Respiratory Distress Syndrome, Sepsis with Hypotension, Brain Attack w/ Thrombolytic Therapy, Motor Vehicle Collision with Hypovolemic Shock, etc.		
Inclusion Maternal Birthing Simulator, Active birthing baby Tablet PC with case, Simulator Control Software with Lifetime License. Vitals Patient Monitor, (9-12) Labor & Delivery Simulation Learning Experience (SLE) Automatic Mode control license, with Programmable drug recognition syringes with labels. Preprogrammed scenarios, Streaming voice headset, Bluetooth communications module, USB wireless router Mother and baby battery chargers, User guide		
Warranty: 2 years on parts and service.		
Preventive Maintenance: once a year for 5		
years or as needed		
Training 2-3 days.		
Total Bid Pr	ice for Lot No. 3	

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
4.	ADULT TRAINING MANIKIN/ GERIATRIC MANIKIN	4	pc		
	 Lightweight - approximately 25-30 lbs. Full-size adult manikin - measures 55-60 in. Overall female appearance Convertible to male with removable of wig and attachment of male genitals The following can be visually inspected: Stage 1 Sacral Ulcer Dilated and Constricted Pupils 				
	Reddened Skin FoldsNormal and Cancerous Mole				
	• Involves Skills Training of Learners like: Tracheostomy Care, Lavage and Suctioning, Gastrostomy Procedures, Lavage and Gavage, Enema Administration, Female Only. Urinary Catheterization (Female and Uncircumcised), Pap Smears and Douching, Prostate Exam, Stage B, Nasogastric Tube Placement, Internal Fluid Reservoirs				
	Patient Care Simulation can be performed like: Bandaging and Wound Dressing, Bed Baths, Clothing Changes. Denture Placement and Removal, Upper and Lower, Ear Canal Irrigation, Otic Drops, and Hearing Aid Placement. Eye Irrigation Finger and Toe Manipulation with Bandaging - Flexible and Individually Molded, Hair Care Washing and Combing. Intramuscular Injection Sites: Arm, Thigh, Buttock Oral and Nasal Hygiene: Lavage, Gavage, and Suctioning. Ostomy Care: Ileostomy and Colostomy Tissue. Maintenance and Appliance Application, Lavage, and Suctioning. Patient				

Pericare The following Realistic Patient Positioning, Flexibility, & Superior Range of Motion can be done:	
 Ankle – Eversion, Inversion, Dorsiflexion, Plantarflexion Elbow – Extension, Flexion, Pronation, Supination Fingers – Abduction, Adduction, Flexion (soft, lifelike material) Hip – Abduction, Adduction, Rotation, Hyperextension Knee – Extension, Flexion Neck – Rotation, Hyperextension, Lateral Flexion Shoulder – Abduction, Adduction, Rotation, Hyperextension Toes – Abduction, Adduction, Flexion (soft, lifelike material) Trunk – Rotation, Hyperextension Wrist – Flexion, Hyperextension, Radial Flexion, Ulnar Flexion 	
Warranty: 2 years on parts and service. Preventive Maintenance: - once a year for 5 years, Training 1-2 days	
Total Bid Pri	ice for Lot No. 4

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
	Description HUMAN WHOLE BODY PLASTINATED SPECIMEN Must be a whole body plastinated specimen (either male or female) The specimen must be fully dry and odorless, Signs of decomposition like- No oil, water, molds or any leaks present in the specimen. Can display: Left Half showing superficial muscles and other right half in deep muscle dissection. Front and back. Synopsis: Visible Skeletal muscle is an important portion of locomotive system and is also the emphasis of teaching. The specimen displays the skeletal muscle of the whole human body and	Qty.	Unit pc	Unit Price	Total Price
	 for whole body parts. Plastinates should have a life-like natural color, Plastinates should be cleanly dissected to reveal specific anatomical parts and not twisted, deformed or distorted. Plastinates should be completely dry to touch not gluey, sticky or watery. Plastinates should be nontoxic and does not possess any allergic reactions to the eyes, nose, skin etc. 				

 Plastinates should be odorless and should not emit any odor/ foul smell or when stored in glass containers Plastinates should be portable, not heavy. Plastinates should have 3-dimensional features. Plastinates can be stored in free air (not airconditioned) indefinitely. Humidity ranges below 60% and can withstand temperature range of 20-30 degrees. 					
Important Considerations:					
8. Should replace the plastinated specimen when it does not conform to the conditions above.9. Free aftersales and preventive					
maintenance service for at least 5 years.					
10. Provide repair when specimens are damaged.					
Must show an actual demo unit during post qualification.					
Total Bid Price for Lot No. 5					

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
6.	ADVANCE PATIENT TRAINING	2	nc		
0.		_	P		
6.	 ADVANCE PATIENT TRAINING ARM There is a Subcutaneous injection sites on the volar forearm and lateral upper arm Available Intramuscular injection site on the upper arm Includes an Arterial system including the radial and brachial arteries The Suture and incision sites on both the upper arm and forearm Must have a Hemodialysis site on the forearm. Visible Arterial and Venous insert for IV training, venipuncture practice, blood draw exercises, AV anastomosis, and placement of AV grafts. This multi-layer surgical insert. 	2	pc		
	insert includes the skin, subcutaneous tissue, muscle, radial artery, and radial vein • There must be also an AV fistula insert that simulates a healed fistula for hemodialysis exercises. Multilayer bicep insert that includes the skin, subcutaneous tissue, and muscle and allows incision practice and suturing exercises. Durable skin that can be pierced in excess of 200 times with a 20- or 22-gauge needle. Realistic tactile feedback for both surgical and arterial and venous stick exercises. Adjustable heart rate and pulse strength simulating a heart rate from 10 BPM to 150 BPM. • Visible Cephalic (antecubital), Basilic, Radial, and Ulnar veins, as well as the radial and brachial arteries for infusion and blood draw training. Rotating arm allowing dorsal and volar access along the length of the IV training arm.				

Varying vessel palpability to				
simulate collapsed or bulging vessels.				
Easy to replace plug-and-play inserts to				
allow quick change-out between				
procedures. Latex-free vessels with				
improved access for hassle-free				
replacement.				
Total Bid Price for Lot No. 6				

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Lot No.	Description	Qty.	Unit	Unit Price	Total Price
7.	 CPR MANIKINS (SET OF 3 MANIKINS-ADULT, CHILD & INFANT Features: CPR feedback monitor that meets 2015 AHA CPR guidelines. Set of 3 only -Adult, Child, and Infant models. Realistic looking and performing manikin is more acceptable to both instructors and students for far easier and faster to carry and set up at training sites. Patented face/head tilt simulates how an actual victim's head would move if he required CPR and teaches students how to properly open the airway. Easily inserted face-shield/lung-bag provides visual chest rise to ensure students receive the most accurate and realistic training. The face shield is secured so it won't slip and there's no need for adhesives. Manikins are not made with natural rubber latex 	3	pc		
	Includes: 1 Adult Manikin with CPR monitor 1 Child Manikin with CPR monitor 1 Infant Manikin with CPR monitor • Adult Face Shield Lung Bags 10 pcs Child Face Shield Lung Bags 10 pcs Child Face Shield Lung Bags 10 pcs • Infant Face Shield Lung Bags 10 pcs Nylon Carrying case 1 piece 2 Extra Compression Springs (Hard and Sc Training Pads, Airway Lubricant, Eye Set, Kneel Mat, Jacket, Pants Manikin Wipes, USB Cable Plus a ShockLink with Defibrillator Trainin Pads for ShockLink with Defibrillator Trainin Pads for ShockLink Control and ShockLink Pouch and User Guide				
	Warranty: 2 years on parts and service. Preventive Maintenance: - once a year for				

years . Training 1 day.						
Total Bid Price for Lot No. 7						