



REQUEST FOR QUOTATION

RFQ No. 574-2025

Date: November 05, 2025

The **TARLAC STATE UNIVERSITY (TSU)**, through its Bids and Awards Committee (BAC), intends to procure **Audio and Visual Equipment** with an Approved Budget for the Contract of **Three Hundred Twenty Thousand Pesos (PhP 320,000.00)** through **Small Value Procurement** pursuant to Section 34 of the Implementing Rules and Regulations of Republic Act No. 12009.

Please submit your duly signed quotation addressed to the Bids and Awards Committee (BAC) Chairperson and to the given address below, on or before **1:00PM of 12 November 2025**, subject to compliance with the Terms and Conditions provided on this Request for Quotation (RFQ):

WILMARK J. RAMOS

Chairperson, Bids and Awards Committee-Goods and Services

Tarlac State University
Romulo Boulevard, San Vicente Tarlac City
Telephone No. (045) 606-8162
Email: tsucanvassing@gmail.com

Interested supplier/service provider shall also submit a copy of the following documents along with the quotation on or before the above specified deadline for submission of quotation:

Required Documents:

- ☒ Valid Business/Mayor's Permit
- ☒ PhilGEPS Registration Number
- ☐ Tax Clearance (per RR017-2024 EO398 Series 2005, Updated Tax Clearance
- ☐ Notarized Omnibus Sworn Statement, if applicable
- ☐ Latest Income/Business Tax Return, if applicable
- ☐ Others, _____

The Head of the Procuring Entity (HoPE) of the TSU reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract in accordance with Section 70 of the IRR of RA No. 12009.

For any clarification, you may contact the BAC Secretariat at (045) 606-8157/606-8162 or send email to tsucanvassing@gmail.com.

By the Authority of the Bids and Awards Committee:


MENCHIE D. ABELLAR

Head, BAC Secretariat/Procurement Unit

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- 1. Do not alter the contents of this form in any way.
- 2. The use of this RFQ is highly encouraged to minimize errors or omissions of the required mandatory provisions.
- 3. The quotation shall contain all the mandatory requirements/provisions including manifestation of the agreement with the Terms and Conditions below.
- 4. In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.
- 5. **All technical specifications must be complied with.** Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- 6. Quotations may be submitted through electronic mail at tsucanvassing@gmail.com.
- 7. Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the e-mail shall be considered.

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. The following shall be observed in accomplishing the Quotation/Proposal Form:

1

2

Minimum Technical Specifications	Quantity	Offered Technical Specification/Service	Statement of Compliance (Comply or Not Comply)
			YES or NO
1. State the Brand/Model offered and/or alternate offer if answered "NO" in the Statement of Compliance;			
2. Check if compliant with the specifications or not.			

- 3. Detailed literature or brochure of the offer, as may be applicable, shall be submitted to support statement of compliance of the technical specifications
- 4. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 5. Price quotation/s must be valid for a period of **FORTY-FIVE (45) calendar days** from the deadline of submission.
- 6. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- 7. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 8. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the TSU shall adopt and employ "draw lots" as the tie- breaking method to finally determine the single winning provider.
- 9. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 10. The item/s shall be delivered according to the accepted offer of the bidder.
- 11. Item/s delivered shall be inspected on the scheduled date and time of the TSU. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications.
- 12. Payment shall be made after delivery and upon the submission of the required supporting documents.
- 13. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. TSU may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 14. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 12009 and its Implementing Rules and Regulations.
- 15. The RFQ, Purchase Order (PO), and other related documents for the above-stated procurement projects shall be deemed to form part of the contract.

Date: _____

The Bids and Awards Committee
Tarlac State University
San Vicente, Tarlac City

Dear Sir/Madam:

After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Minimum Technical Specifications		Quantity	Offered Technical Specifications	Statement of Compliance (Comply or Not Comply)
Note: Non-compliance with the minimum required specifications shall be grounds for disqualification				
Procurement of Audio and Visual Equipment				
1	SOUND SYSTEM , Microphone and audio conference set 800W RMS of powerful Pro Sound Dynamic, colorful, customizable lightshow IPX4 splashproof Pair your speakers for even bigger sound Easy-to-grip handle and robust wheels Guitar and mic inputs Digital Wireless Microphone Clear voice, crisp sound Minimize all unwanted noise Easy to use Rechargeable battery Stable 2.4GHz connection Packaged in FSC-certified paper printed with soy ink.	2 unit (s)		
2	SPEAKER , Party box 310, with mic specs distance between transmitter and receiver >10m Yes: Polar pattern, Cardioid Frequency response: 65 Hz-15kHz, Signal-to-Noise(S/N) ratio:60 dBA, Yes: UHF frequency band:470-960MHz(depends on SKU) (EU 657-662MHz), Yes: THD:0.5%, typical, Yes: Dynamic range: 100 dB A-weighted, typical, Yes: Transmitter transmitting power: <10 mW, typical, Yes: Receiver input: 1/4"(6.3 mm) unbalanced, Yes: Receiver maximum Output, Level:-13dBV, typical, Yes: Receiver rechargeable Battery: Lithium-ion Polymer 3.7WH(Equivalent to 3.7V, 1000mAh), Yes: Receiver charge time: 2 hours @5V/1A, Yes: Receiver battery Playtime: Up to 6 hours, Yes: Microphone battery 4 x AA alkaline (included)	2 unit (s)		
3	LAPEL , WIRELESS WITH RECEIVER	2 unit (s)		

	8 channel handheld lavaliers, with 8 lavalier microphone, high-fidelity, constant frequency, anti-howling			
4	SPEAKER, 2-WAY BOX SPEAKERS (PER PAIR) Product Specifications: 2-way professional compact speaker system 5.25" woofer + 0.75" titanium-laminate tweeter Frequency Response: 80 Hz-20 kHz Power Handling: 75W continuous (150W peak) Sensitivity: 87 dB SPL Impedance: 4-8 ohms Magnetically shielded Wall-mount brackets included Dimensions: 9.3" x 6.3" x 5.6" Color: Black (or White variant)	5 unit (s)		
	Warranty Period (for equipment, tools, and devices)			
	Delivery Period: (<u>70</u> calendar days)			
nothing as follows				

Payment Terms

Payment shall be made through Landbank's LDDAPADA/Bank Transfer Facility, issuance of check or cash on delivery (COD) within thirty (30) calendar days after receipt of sales/service invoice and issuance of Inspection and Acceptance Report/Certificate of Acceptance from the End-User. In case accounts maintained in other banks, bank transfer fees shall be chargeable against the creditor's account.

Interested suppliers shall provide the following Bank Details in the statement of compliance column:

Bank Name: _____

Bank Branch/Address: _____

Bank Account Name: _____

Bank Account Number: _____

FINANCIAL OFFER:

Procurement of Audio and Visual Equipment			
Approved Budget for the Contract (ABC): Three Hundred Twenty Thousand Pesos (PhP 320,000.00)			
Items		Quantity (A)	Offered Price per Unit (B)
1	SOUND SYSTEM	2	
2	SPEAKER, Party box 310	2	
3	LAPEL	2	
4	SPEAKER, 2-WAY BOX SPEAKERS	5	
Grand Total			

Total Offered Quotation	In Words:
	In Figures:

Signature Over Printed Name

Position/Designation

Company Registered Name

Office Telephone/Mobile Nos.

Email Address/es

Date



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 12556627
Procuring Entity TARLAC STATE UNIVERSITY
Title Procurement of Audio and Visual Equipment
Area of Delivery Tarlac

Solicitation Number:	574-2025	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Audio and Visual Equipment		
Approved Budget for the Contract:	PHP 320,000.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	06/11/2025
Contact Person:	Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac Philippines 2300 63-045-6068110 Ext.157 tsucanvassing@gmail.com	Last Updated / Time	05/11/2025 17:31 PM
		Closing Date / Time	12/11/2025 13:00 PM

Description 1. SOUND SYSTEM, Microphone and audio conference set 800W RMS of powerful Pro Sound Dynamic, colorful, customizable lightshow IPX4 splashproof Pair your speakers for even bigger sound Easy-to-grip handle and robust wheels Guitar and mic inputs Digital Wireless Microphone Clear voice, crisp sound Minimize all unwanted noise Easy to use Rechargeable battery Stable 2.4GHz connection Packaged in FSC-certified paper printed with soy ink. 2. SPEAKER, Party box 310, with mic specs distance between transmitter and receiver :>10m Yes: Polar pattern, Cardioid Frequency response: 65 Hz-15kHz, Signal-to-Noise(S/N) ratio:60 dBA, Yes: UHF frequency band:470-960MHz(depends on SKU) (EU 657-662MHz), Yes: THD:0.5%, typical, Yes: Dynamic range: 100 dB A-weighted, typical, Yes: Transmitter transmitting power: <10 mW, typical, Yes: Receiver input: 1/4"(6.3 mm) unbalanced, Yes: Receiver maximum Output, Level:-13dBV, typical, Yes: Receiver rechargeable Battery: Lithium-ion Polymer 3.7WH(Equivalent to 3.7V, 1000mAh), Yes: Receiver charge time: 2 hours @5V/1A, Yes: Receiver battery Playtime: Up to 6 hours, Yes: Microphone battery 4 x AA alkaline (included) 3. LAPEL, WIRELESS WITH RECEIVER 8 channel handheld lavaliers, with 8 lavalier microphone, high-fidelity, constant frequency, anti-howling 4. SPEAKER, 2-WAY BOX SPEAKERS (PER PAIR) Product Specifications: 2-way professional compact speaker system 5.25" woofer + 0.75" titanium-laminate tweeter Frequency Response: 80 Hz-20 kHz Power Handling: 75W continuous (150W peak) Sensitivity: 87 dB SPL Impedance: 4-8 ohms Magnetically shielded Wall-mount brackets included
--

Dimensions: 9.3" x 6.3" x 5.6"
Color: Black (or White variant)

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	SOUND SYSTEM	Microphone and audio conference set 800W RMS of powerful Pro Sound Dynamic, colorful, customizable lightshow IPX4 splashproof Pair your speakers for even bigger sound Easy-to-grip handle and robust wheels Guitar and mic inputs Digital Wireless Microp	2	Unit	100,000.00
2	SPEAKER	Party box 310, with mic specs distance between transmitter and receiver :>10m Yes: Polar pattern, Cardioid Frequency response: 65 Hz-15kHz, Signal-to-Noise(S/N) ratio:60 dBA, Yes: UHF frequency band:470-960MHz(depends on SKU) (EU 657-662MHz), Yes: TH	2	Unit	100,000.00
3	LAPEL	WIRELESS WITH RECEIVER 8 channel handheld lavaliers, with 8 lavalier microphone, high-fidelity, constant frequency, anti-howling	2	Unit	70,000.00
4	SPEAKER	2-WAY BOX SPEAKERS (PER PAIR) Product Specifications: 2-way professional compact speaker system 5.25" woofer + 0.75" titanium-laminate tweeter Frequency Response: 80 Hz-20 kHz Power Handling: 75W continuous (150W peak) Sensitivity: 87 dB SPL Impedanc	5	Unit	50,000.00

Other Information

The bidders must download the attached documents in the associated component section.
Note: Award shall be on a "per line item" basis.
Please refer to the Request for Quotation for complete specifications

Created by Tutchie Panlilio
Date Created 05/11/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.



(#2025-10-6699)

PURCHASE REQUEST

Entity Name: _____ Fund Cluster: _____

Office/Section: SCHOOL OF MEDICINE		PR No.: <u>2025-10-0353</u> Responsibility Center Code : _____		Date: October 17, 2025 OCT 28 2025	
Stock/ Property No.	Unit	Item Description Quantity	Quantity	Unit Cost	Total Cost
1	unit	SOUND SYSTEM, Microphone and audio conference set 800W RMS of powerful Pro Sound Dynamic, colorful, customizable lightshow IPX4 splashproof Pair your speakers for even bigger sound Easy-to-grip handle and robust wheels Guitar and mic inputs Digital Wireless Microphone Clear voice, crisp sound Minimize all unwanted noise Easy to use Rechargeable battery Stable 2.4GHz connection Packaged in FSC-certified paper printed with soy ink	2	50,000.00	100,000.00
2	Unit	SPEAKER, Party box 310, with mic specs distance between transmitter and receiver :>10m Yes: Polar pattern, Cardioid Frequency response: 65 Hz- 15kHz, Signal-to-Noise(S/N) ratio:60 dBA, Yes: UHF frequency band:470-960MHz(depends on SKU)(EU 657-662MHz), Yes: THD:0.5%, typical, Yes: Dynamic range:100 dB A-weighted, typical, Yes: Transmitter transmitting power:<10 mW, typical, Yes: Receiver input:1/4"(6.3 mm) unbalanced, Yes: Receiver maximum Output, Level:-13dBV,typical, Yes: Receiver rechargeable Battery: Lithium-ion Polymer 3.7WH(Equivalent to 3.7V, 1000mAh), Yes: Receiver charge time :2 hours @5V/1A, Yes: Receiver battery Playtime: Up to 6 hours, Yes: Microphone battery 4 x AA alkaline (included)	2	50,000.00	100,000.00
3	Unit	LAPEL, WIRELESS WITH RECEIVER 8 channel handheld lavalier, with 8 lavalier microphone, high-fidelity, constant frequency, anti-howling	2	35,000.00	70,000.00
4	unit	SPEAKER, 2-WAY BOX SPEAKERS (PER PAIR) Product Specifications: 2-way professional compact speaker system 5.25" woofer + 0.75" titanium-laminate tweeter Frequency Response: 80 Hz – 20 kHz Power Handling: 75W continuous (150W peak) Sensitivity: 87 dB SPL Impedance: 4–8 ohms Magnetically shielded Wall-mount brackets included - Dimensions: 9.3" x 6.3" x 5.6" Color: Black (or White variant)	5	10,000.00	50,000.00
					320,000
Purpose: AUDIO AND VISUAL SUPPLIES, TOOLS AND EQUIPMENT (SUPPLEMENTAL APP 2025 – SCHOOL OF MEDICINE)					
Signature :		Requested by:		Approved by:	
Printed Name :		DR. POLICARPIO B. JOVES, JR.		DR. ARNOLD E. VELASCO	
Designation :		Dean, School of Medicine		President	

REQUISITION AND ISSUE SLIP
TARLAC STATE UNIVERSITY

(Agency)

Fund Cluster : _____

Division : <u>VICE PRESIDENT FOR ACADEMIC AFFAIRS</u>				Responsibility Center Code: _____			
Office : <u>SCHOOL OF MEDICINE</u>				RIS No. : _____			
Requisition				Stock Available?		Issue	
Stock No.	Unit	Description	Quantity	Yes	No	Quantity	Remarks

1	unit	SOUND SYSTEM, Microphone and audio conference set 800W RMS of powerful Pro Sound • Dynamic, colorful, customizable lightshow • IPX4 splashproof • Pair your speakers for even bigger sound • Easy-to-grip handle and robust wheels • Guitar and mic inputs Digital Wireless Microphone • Clear voice, crisp sound • Minimize all unwanted noise • Easy to use • Rechargeable battery • Stable 2.4GHz connecton • Packaged in FSC-certfed paper printed with soy ink	2		✓		
2	unit	SPEAKER, Party box 310, with mic specs distance between transmitter and receiver >:10m Yes: Polar pattern, Cardioid Frequency response: 65 Hz-15kHz, Signal-to-Noise(S/N) ratio:60 dBA, Yes: UHF frequency band:470-960MHz(depends on SKU)(EU 657-662MHz), Yes: THD:0.5%, typical, Yes: Dynamic range:100 dB A-weighted, typical, Yes: Transmitter transmitting power:<10 mW, typical, Yes: Receiver input:1/4"(6.3 mm) unbalanced, Yes: Receiver maximum Output, Level:-13dBV,typical, Yes: Receiver rechargeable Battery: Lithium-ion Polymer 3.7WH(Equivalent to 3.7V, 1000mAh), Yes: Receiver charge time :2 hours @5V/1A, Yes: Receiver battery Playtime: Up to 6 hours, Yes: Microphone battery 4 x AA alkaline (included)	2		✓		
3	unit	LAPEL, WIRELESS WITH RECEIVER 8 channel handheld lavalier, with 8 lavalier microphone, high-fidelity, constant frequency, anti-howling	2		✓		
4	unit	SPEAKER, 2-WAY BOX SPEAKERS (PER PAIR) Product Specifications: 2-way professional compact speaker system 5.25" woofer + 0.75" titanium-laminate tweeter Frequency Response: 80 Hz – 20 kHz Power Handling: 75W continuous (150W peak) Sensitivity: 87 dB SPL Impedance: 4–8 ohms Magnetically shielded Wall-mount brackets included - Dimensions: 9.3" x 6.3" x 5.6" Color: Black (or White variant)	4		✓		

Purpose: AUDIO AND VISUAL SUPPLIES, TOOLS AND EQUIPMENT (SUPPLEMENTAL APP 2025-SOM)

	Requested by:	Approved by:	Issued by:	Received by:
Signature:				
Printed Name:	DR. POLICARPIO B. JOVES, JR.	MR. RYAN SIH		
Designation:	Dean, School of Medicine	Unit Head, SPMU		
Date:	15/10/2025	OCT 21 2025		